



Quality is in our nature



Fully Synthetic passenger car (DPF) motor oils		Art. no.	Package
Performance level			
Eurol Excence 5W-30	Ford/Mazda/Volvo - C1	E100059	200 L
Fully Synthetic - Fuel Economy - Longlife - LOW SAPS			60 L
ACEA: A1/A5/B1/B5 (07) - ACEA C1 (08) - FORD M2C-934A - JASO DL-1 (05)			20 L
			4x5 L
			12x1 L
Eurol Fluence FE 5W-30 SM/CF	PSA - C2	E100069	200 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS			60 L
ACEA: A1/A5/B1/B5 (07) - ACEA C2 (08) - ILSAC GF-3 - BMW LL-01 FE - PSA B71 2290			20 L
			12x1 L
Eurol Fluence 5W-30 DXS SN/CF	DEXOS2 - C3	E100076	200 L
Fully Synthetic - Longlife - MID SAPS			60 L
API: SM/CF - ACEA A3/B4 (07), C3 (08) - GM Dexos 2 - VW 502.00 / 505.00 / 505.01 (2005)			20 L
MB: 229.31 / 229.51 - BMW LL-01 / LL-04 - Ford M2C-917A - GM-LL-A-025 / B-25			4x5 L
			12x1 L
Eurol Optence 5W-30 SL/CF	MB 229.51 - C3	E100073	200 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS			60 L
ACEA: A3/B4(07) ACEA C3 (08) - API SL/CF - MB 229.31/229.51 - BMW LL-01/LL-04			20 L
FORD M2C-917A - VW 502.00/505.00/ 505.01 (05)			4x5 L
			12x1 L
Eurol Syntence 5W-30	VW 504/507 - C3	E100062	200 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS			60 L
ACEA: A3/B4 (04) ACEA C3 - VW 504.00/507.00 - MB 229.51			20 L
			4x5 L
			12x1 L
Eurol Turbo DI 5W-40 SM/CF	VW 505.01 - C3	E100085	200 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS			60 L
ACEA: A3/B4 (07) ACEA C3 (08) - API SM/CF - MB 229.1/229.31 - BMW LL01/LL04			20 L
VW 500/505/502/505.01 (05) - PORSCHE A40 - FORD WSS-M2C-917A - Renault RN0710			4x5 L
			4x4 L
			12x1 L
Eurol Actence 5W-30	Renault - C3 and C4	E100058	200 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS			60 L
ACEA: A3/B4 (07) - ACEA C3/C4 (08) - RENAULT RN 0720			20 L
			4x5 L
			12x1 L



Quality is in our nature



Fully Synthetic passenger car motor oils	Art. no.	Package
Eurol Synergy 0W-30 SL/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA A3/B4 (07) - API SL/CF - VW 502.00/505.00/503.01 PORSCHE A40 - MB 229.1 / 229.3 - BMW LONG LIFE 98	E100067	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Synergy 0W-40 SL/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA A3/B4 (07) - API SL/CF - VW 502.00/505.00/503.01 PORSCHE A40 - MB 229.1 / 229.3 - BMW LONG LIFE 98	E100064	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Super Ultra II 0W-30 VW 506.01 Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A1/A5/B1/B5 (04) - VW 503.00/506.00/506.01 - BMW LL-01 FE	E100063	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Evolence 0W-20 SN/GF-5 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M Suitable for hybrid cars from Toyota, Honda and Lexus	E100128	200 L 60 L 20 L 4x5 L
Eurol Evolence 0W-30 SN/GF-5 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M Suitable for hybrid cars from Toyota, Honda and Lexus	E100129	200 L 60 L 20 L 4x5 L
Eurol Evolence 5W-20 SN/GF-5 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M Suitable for hybrid cars from Toyota, Honda and Lexus	E100130	200 L 60 L 20 L 4x5 L
Eurol Evolence 5W-30 SN/GF-5 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M Suitable for hybrid cars from Toyota, Honda and Lexus	E100131	200 L 60 L 20 L 4x5 L
Eurol Evolence 10W-30 SN/GF-5 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M Suitable for hybrid cars from Toyota, Honda and Lexus	E100132	200 L 60 L 20 L 4x5 L
Eurol Syntolin 5W-20 SM/GF-4 Fully Synthetic - Fuel Economy - Longlife - Gasoline API SM; ILSAC GF-4; Ford WSS-M2C 925A (Jaguar, Landrover) - Ford WSS-M2C-930A Chrysler MS-6395; Honda; Mazda; Nissan; Mitsubishi DiaQueen	E100087	200 L 60 L 20 L 4x5 L



Quality is in our nature



Eurol Protence 5W-30 SL/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A3/B4 (07) - API SL/CF - MB 229.3 - VW 502.00/505.00 GM-LL-A-025 / GM-LL-B-025	OPEL/SAAB	E100068	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Benefix 5W-30 SL/GF-2 Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A1/B1 (04), A5(02) - API SL - ILSAC GF-1/GF-2 FORD WSS-M2C-912A - 913A/B	FORD	E100066	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Fortence 5W-30 SL Fully Synthetic - Fuel Economy - Longlife ACEA A5/B5 (08), A1/B1 (08) Ford WSS-M2C-913C en 912A, 913A/B	FORD	E100065	200 L 60 L 4x5 L 12x1 L
Eurol Super Lite 5W-20 SM/CF Fully Synthetic - Fuel Economy - Longlife - Benz./diesel API: SM/CF ACEA: A3/B4 (08)		E100089	200L 60L 20L 4x5L
Eurol Super Lite 5W-30 SM/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A3/B4 (04) - API SM/CF - MB 229.1/229.3 - VW 502.00/505.00 GM-LL-B-025 - BMW LL-98		E100091	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Super Lite 5W-40 SN/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A3/B4 (08) - API SN/CF - MB 229.1/229.3 - VW 502.00/505.00 GM-LL-B-025 - BMW LL-01 - PORSCHE A40 - Renault RN 0700 / RN 0710		E100092	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Super Lite 5W-50 SM/CF Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel ACEA: A3/B4 (04) - API SM/CF - MB 229.1/229.3 - VW 502.00/505.00 GM-LL-B-025 - BMW LL-98		E100093	200 L 60 L 20 L 4x4 L 12x1 L
Eurol Maxence RC 10W-60 SM/CF Fully Synthetic - Gasoline/diesel - Rally and race-applications ACEA: A3/B4 (04) - API SM/CF - MB 229.1 - VW 500.00/505.00 BMW Special Oil - Porsche A40		E100061	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L



Quality is in our nature



Semi-Synthetic passenger car motor oils	Art. no.	Package
Performance level Eurol Turbosyn 10W-40 SL/CF Semi-Synthetic - Gasoline/diesel ACEA: A3/B4 (08) - API SL/CF - MB 229.1 - VW 500.00/505.00 BMW Special Oil - Porsche GL	E100094	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Turbosyn 15W-50 SL/CF Semi-Synthetic - Gasoline/diesel ACEA: A3/B4 (08) - API SL/CF - MB 229.1 - VW 500.00/505.00 BMW Special Oil - Porsche GL	E100039	200 L 60 L 20 L 4x4 L 12x1 L
Eurol Synto-V 5W-30 SL/CF Semi Synthetic - Gasoline/diesel ACEA: A3/B4 (04) - API SL/CF - VW 502.00/505.00	E100051	200 L 60 L 20 L 4x5 L 4x4 L
Eurol Synto-V 5W-40 SL/CF Semi Synthetic - Gasoline/diesel ACEA: A3/B4 (04) - API SL/CF - VW 502.00/505.00	E100050	200 L 60 L 20 L 4x5 L 4x4 L
Eurol Turbocat 10W-40 SL/CF Semi-Synthetic - Gasoline/diesel ACEA: A3/B3 (04) - API SL/CF - VW 500.00/505.00 - MB 229.1	E100114	200 L 60 L 20 L 4x5 L



Quality is in our nature



Fully Synthetic Truck motor oils		Art. no.	Package
<i>Performance level</i>			
Eurol Syntrax 5W-30 CF	ACEA E4/E5/E7	E100116	200 L
Fully Synthetic - Long drain -EURO 3, 4 and 5 (without Particle filter)			60 L
ACEA: E4/E5/E7 (04) - MTU Type 3 - MAN 3277 - DAF HP1 / HP2 - VOLVO VDS-2/VDS-3			20 L
RENAULT RXD - SCANIA LDF - MB 228.3/228.5/235.28 - MACK EO/M+ - CUMMINS-077 - Voith Class B			4x5 L
Eurol Marathol 10W-40	ACEA E4/E6/E7	E100119	200 L
Fully Synthetic - Long drain -EURO 3, 4 and 5 - LOW SAPS			60 L
ACEA: E4/E6/E7 (04) - DAF HP-2 - MB 228.5/228.51 - MTU Type 3 - 3.1			20 L
VOLVO VDS-3 - RENAULT RXD - MAN 3277/3277 CRT/3477 - DEUTZ DDQ-III			4x5 L
Eurol Syntruck 10W-40 CI-4	ACEA E4/E5/E7	E100115	200 L
Fully Synthetic - Long drain -EURO 3, 4, and 5 (without Particle filter)			60 L
ACEA: E4/E7 (04) - MB 228.5 - VOLVO VDS-2/VDS-3 - SCANIA LDF			20 L
MAN 3277 - RENAULT RXD/RLD-2 - DAF HP-2 - MTU TYPE 3 - DEUTZ DDQ-III			4x5 L
Semi-Synthetic Truck - Van motor oils		Art. no.	Package
<i>Performance level</i>			
Eurol Endurance LD 10W-40 CI-4+	SCANIA LDF-2	E100117	200 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 en EURO 5			60 L
API: CF/CI-4/CH-4/CG-4/CF-4 - ACEA: E4/E7 (08) MB 228.5 ; Volvo: VDS-2/VDS-3 ; MAN: 3277			20 L
DAF HP-2 ; Deutz DDQ-III; Renault RXD/RLD-2 ; Scania LDF-2 ; MTU/DDC type 3 ; Cummins CES 20077/78			4x5 L
Eurol Fusion 10W-40 Synthetic SL/CI-4+		E100113	200 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 (without Particle filter)			60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - E7 (04) - API SL/CI-4 - VOLVO VDS-2/VDS-3 - MAN 271/3275			20 L
MTU/DDC TYPE 2 - MB 228.3/228.1/229.1 - RENAULT RLD/RLD-2 - GLOBAL DHD-1 /DLD-1/DLD-3 -			4x5 L
IVECO LD - ALLISON C4 - CUMMINS - CAT ECF-1 - DEUTZ DQC-II - JASO DH-1 - MACK EO/M+ /T10			
Eurol Globence 15W-40	VOLVO VDS-4	E100124	200 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 and EURO 5			60 L
API: CJ-4/SM, Volvo VDS-4, ACEA E7/E9, Caterpillar ECF-3 / ECF-1, MAN M3275, MB 228.31			20 L
Cummins CES 20081, DDC PGOS 93 K 218, MTU type 2, Global DHD-1, Mack EO-O Premium Plus,			4x5 L
Mineral Truck - Van motor oils		Art. no.	Package
<i>Performance level</i>			
Eurol SHPD 15W-40 SL/CI-4		E100110	200 L
Mineral - EURO 2, 3			60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3			20 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD			4x5 L
Eurol SHPD 20W-50 SL/CI-4		E100047	200 L
Mineral - EURO 2, 3			60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3			20 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD			4x4 L



Quality is in our nature



Mineral Fleet motor oils	Art. no.	Package
Performance level		
Eurol Multi-Use 15W-40 SL/CI-4	E100105	200 L
Mineral - EURO 2, 3		60 L
ACEA: A3/B4 (04) - E3 (02) - API SL/CI-4 - VOLVO VDS - VW 501.01/505.00		20 L
MTU/DDC TYPE 1 - MB 229.1/228.1 - MAN 271 - RENAULT RD - MACK EO/M		4x5 L
ALLISON C4 - CATERPILLAR ECF-1 - ZF-TE 02C/03A/04B/04C/07C		4x4 L
		12x1 L
Eurol Multi-Use 20W-50 SL/CI-4	E100108	200 L
Mineral - EURO 2, 3		60 L
ACEA: A3/B4 (04) - E3 (02) - API SL/CI-4 - VOLVO VDS - VW 501.01/505.00		20 L
MTU/DDC TYPE 1 - MB 229.1/228.1 - MAN 271 - RENAULT RD - MACK EO/M		4x5 L
ALLISON C4 - CATERPILLAR ECF-1 - ZF-TE 02C/03A/04B/04C/07C		4x4 L
		12x1 L
Mineral SJ-CF4	Art. no.	Package
Performance level		
Eurol Multifleet 15W-40 SJ/CG-4	E100046	200 L
Mineral - mixed fleet - Gasoline/diesel		60 L
ACEA: A2/B3/E2 (02) -A3 (98) - MB 228.1/229.1 - MAN 271		20 L
VW 501.01/505.00 - VOLVO VDS - MACK EO/L		4x5 L
		4x4 L
		12x1 L
Eurol Multifleet 20W-50 SJ/CG-4	E100041	200 L
Mineral - mixed fleet - Gasoline/diesel		60 L
ACEA: A2/B3/E2 (02) -A3 (98) - MB 228.1/229.1 - MAN 271		20 L
VW 501.01/505.00 - VOLVO VDS - MACK EO/L		4x5 L
		4x4 L
		12x1 L
Mineral passenger car motor oils	Art. no.	Package
Performance level		
Eurol Turbocat 15W-40 SL/CF	E100022	200 L
Mineral - Gasoline/diesel		60 L
ACEA: A3/B3 - API SL/CF - VW 501.01/505.00 - MB 229.1		20 L
		4x5 L
		4x4 L
		12x1 L
Eurol Turbocat 20W-50 SL/CF	E100021	200 L
Mineral - Gasoline/diesel		60 L
ACEA: A3/B3 - API SL/CF - VW 501.01/505.00 - MB 229.1		20 L
		4x5 L
		12x1 L



Quality is in our nature



Mineral SG-CF4 / SF-CC/CD	Art. no.	Package
Performance level Eurol Bediga 10W-40 SG/CF-4 Mineral - mixed fleet - Gasoline/diesel API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M Ford M2C-153C - CCMC G4/D4/PD-2	E100096	200 L 60 L 20 L 4x4 L
Eurol Bediga 15W-40 SG/CF-4 Mineral - mixed fleet - Gasoline/diesel API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M Ford M2C-153C - CCMC G4/D4/PD-2	E100125	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Bediga 20W-50 SG/CF-4 Mineral - mixed fleet - Gasoline/diesel API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M Ford M2C-153C - CCMC G4/D4/PD-2	E100045	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Special 10W-40 SF/CC-CD Mineral - mixed fleet - Gasoline/diesel API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C GM: P 6085-M	E100010	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Special 15W-40 SF/CC-CD Mineral - mixed fleet - Gasoline/diesel API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C GM: P 6085-M	E100020	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Eurol Special 20W-50 SF/CC-CD Mineral - mixed fleet - Gasoline/diesel API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C GM: P 6085-M	E100040	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L



Quality is in our nature



Monograde oil SG/CF4	ACEA E2	Art. no.	Package
<i>Performance level</i>			
EuroI HDX SAE 30 SG-CF4/CF2		E100271	200 L
ACEA E2 (02) - API SG/CF/CF-4 and CF-2 - MB 227.0/228.0			60 L
MAN 270 - MIL-L-2104E/46152B/C - ZF-02C - FORD: ESE-M2C-153C (SF/CD)			20 L
EuroI HDX SAE 40 SG-CF4/CF2		E100272	200 L
ACEA E2 (02) - API SG/CF/CF-4 and CF-2 - MB 227.0/228.0			60 L
MAN 270 - MIL-L-2104E/46152B/C - ZF-02C - FORD: ESE-M2C-153C (SF/CD)			20 L
			4x5 L
Monograde oil SF/CF-CF2		Art. no.	Package
<i>Performance level</i>			
EuroI HDS SAE 10W SF/CF		E101250	200 L
API SF/CF - MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD: ESE-M2C-153C			60 L
			20 L
EuroI HDS SAE 20W-20 SF/CF		E101260	200 L
API SF/CF - MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD: ESE-M2C-153C			60 L
			20 L
EuroI HDS SAE 30 SF/CF/CF-2		E101270	200 L
API SF/CF/CF2 -MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD M2C-153C			60 L
			20 L
			4x5 L
EuroI HDS SAE 40 SF/CF/CF-2		E101275	200 L
API SF/CF/CF2 -MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD M2C-153C			60 L
			20 L
Monograde oil SF/CC		Art. no.	Package
<i>Performance level</i>			
EuroI Monograde 30 SF/CC		E101220	200 L
API SF/CC - MIL-L-2104B/46152C			60 L
MB 226.1 - FORD: ESE-M2C-153C			20 L
			4x5 L
			12x1 L
EuroI Monograde 40 SF/CC		E127221	200 L
API SF/CC - MIL-L-2104B/46152C			60 L
MB 226.1 - FORD: ESE-M2C-153C			20 L
EuroI Lawnmower Oil SAE 30		V115973002	4x5 L
API SF/CC - MIL-L-2104B/46152C			12x1 L
MB 226.1 - FORD: ESE-M2C-153C			



Quality is in our nature



Tractor oil	Art. no.	Package
Eurol Altrack Syn 10W-40 CE-CF4/SF Performance level Semi-Synthetic - STOU oil - suitable for wet-brakes ACEA E3 - API CG-4/CF-4/SF - API GL4 and 5 - ALLISON C4 - MIL-L-2104D/2105 FORD NH 82009202 - JOHN DEERE JDM-J27, J20C - FORD M2C-159B/C FNHA-2-C-201 - MF M1139/1144 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B	E105082	200 L 60 L 20 L 4x5 L
Eurol Altrack 15W-40 CE-CF4/SF Mineral - STOU oil - suitable for wet-brakes ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C FNHA-2-C-201 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1 MF M1127 / 1135 / 1139 / 1144 / 1145	E105084	200 L 60 L 20 L 4x5 L
Eurol Altrack 15W-30 CE-CF4/SF Mineral - STOU oil - suitable for wet-brakes ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C -FNHA-2-C-201 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1 - MF M1127 / 1135 / 1139 / 1144 / 1145	E105080	200 L 60 L 20 L 4x5 L
Eurol Unifarm 10W-30 CE-CF4/SF Mineral - STOU oil - suitable for wet-brakes ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C -FNHA-2-C-201 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1 - MF M1127 / 1135 / 1139 / 1144 / 1145	E105075	200 L 60 L 20 L 4x5 L
Eurol Hykrol CT Fluid Mineral - UTTO oil - suitable for wet-brakes IH:Hytran; JD:J20D; MS1207/1210; MF1110; Ford NH M2C41B Transmission, clutches, final drives and wet brakes	E105825	200 L 60 L 20 L 4x5 L
Eurol Hykrol JD 68 Mineral - UTTO oil - suitable for wet-brakes Ford: M2C-48B/134A/B/C/D; J20C; Kubota UDT MF: 1127A/-B/1192A/1135/1141; JI Case: MS 1204/1205/1206	E105820	200 L 60 L 20 L 4x5 L
Eurol Hykrol PST 80 Mineral - UTTO oil - suitable for wet-brakes API GL-4 - Ford M2C86 B/C, M2C-134D - Allison C3 - Caterpillar TO-2 John Deere J20A/C, J21A/3000 TH - MF 1127A/1135/1139/1141/1143 Renault THFI / 180596 - New Holland 410B, 420A - FHNA 2C-201.00, Case 1204/1205/1206	E105822	200 L 60 L 20 L 4x5 L
Hykrol WB 102 Full synthetic - UTTO oil - suitable for wet-brakes API: GL4 - Volvo WB 101 /102 - Case MS 1207, 1209, 1210 - I.H. Hytran B Plus - Caterpillar TO-2 Allison C4 - John Deere J20D/J14C/J21A - Massey Ferguson M1127B/1129A/1141/1143/1145 Steyr 397.88.00001 H - HLP 32/46 - New Holland NH-410B - Ford M2C134D,M2C41B, M2C48C	E105835	200 L 60 L 20 L



Quality is in our nature



Eurol Hykrol DAZ 15 Mineral - Zincfree - ashless VHLPD DIN 51524 part 3 - FZG A/8.3/90>10 - Hagglunds Denison - Vickers I-286-S/I-2952-S - Cincinati Milacron	E108826	200 L 60 L 20 L
Eurol Hykrol DAZ 46 Mineral - Zincfree - ashless VHLPD DIN 51524 part 3 - FZG A/8.3/90>10 - Hagglunds Denison - Vickers I-286-S/I-2952-S - Cincinati Milacron	E108827	200 L 60 L 20 L
Powershift Transmission TO-4 Performance level	Art. no.	Package
Eurol Powershift TO-10 API CF/CF-2 - Caterpillar TO-4 - Allison C-4 ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101248	200 L 60 L 20 L
Eurol Powershift TO-30 API CF/CF-2 - Caterpillar TO-4 - Allison C-4 ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101265	200 L 60 L 20 L
Eurol Powershift TO-50 API CF/CF-2 - Caterpillar TO-4 - Allison C-4 ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101367	200 L 60 L 20 L



Quality is in our nature



Motorcycle oil 4T		Art. no.	Package
Performance level			
Eurol Sportbike 5W-40 SG	JASO MA 2	E100102	200 L
Fully Synthetic - JASO MA			60 L
for race, tour and cross application.			12x1 L
Eurol Sportbike 5W-50 SL	JASO MA 2	E100081	200 L
Fully Synthetic - JASO MA			60 L
for race, tour and cross application.			12x1 L
Eurol Sportbike 10W-40 SH	JASO MA 2	E100070	200 L
Fully Synthetic - JASO MA			60 L
for race, tour and cross application.			12x1 L
Eurol Sportbike 10W-60 SL	JASO MA 2	E100082	200 L
Fully Synthetic - JASO MA			60 L
for race, tour and cross application.			12x1 L
Eurol Sportbike 15W-50 SH	JASO MA 2	E100183	200 L
Fully Synthetic - JASO MA			60 L
for race, tour and cross application.			12x1 L
Eurol Motorcycle 10W-40 SG JASO MA 2		E100097	200 L
Semi-Synthetic - JASO MA			60 L
for race, tour and cross application.			4x4 L
offers excellent protection to gearboxes and wet disc clutches.			12x1 L
Eurol Synra 20W-50 SH JASO MA 2		E100049	200 L
Semi-Synthetic - JASO MA - Ducati engines			60 L
			4x4 L
Eurol Sport touring 10W-40 SG JASO MA 2		E100011	200 L
Mineral - JASO MA			60 L
for race, tour and cross application.			4x4 L
offers excellent protection to gearboxes and wet disc clutches.			12x1 L
Eurol Sport touring 20W-50 SG JASO MA 2		E100043	200 L
Mineral - JASO MA			60 L
offers excellent protection to gearboxes and wet disc clutches.			4x4 L
			12x1L



Quality is in our nature



Motorcycle Harley Davidson®	Art. no.	Package
Performance level Eurol Harley Twinlube-3 20W-50 Synthetic motoroil for Harley Davidson V-Twin engines Also suitable for gears/clutches of Harley-engines after 2000.	E100375	200 L 60 L 4x4 L 12x1 L
Eurol Harley 20W-50 SG/CD Mineral multi-grade motorcycleoil specially developed for Harley Davidson engines	E100390	200 L 60 L 4x4 L 12x1 L
Eurol Harley 20W-60 SG/CD Mineral multi-grade motorcycleoil specially developed for Harley Davidson engines	E100380	200 L 60 L 4x4 L
Eurol Harley 50 SF/CC Mineral mono-grade motorcycleoil specially developed for Harley Davidson engines	E100360	200 L 60 L 4x4 L 12x1 L
Eurol HD Lube for Primary Chaincase specially developed for primary chain cases and diaphragm-clutch: models '84 and later FL, FLT, FX, FXR	E110027	60 L 4x4 L 12x1 L
Eurol HD Lube for Chain and Gearbox recommended for the gears of Harley D. motorcycles and other motorcycles where API GL5 is not prescribed	E110023	60 L 12x1 L



Quality is in our nature



Synthetic two-stroke oil 2T	Art. no.	Package
Performance level Eurol TTX BIO Fully Synthetic Fully Synthetic - Low Smoke - Bio-degradable for pre-mix in oil-injection systems. NMMA: TC-W3 CEC-L-33-T-82: 90% 21days - API TC/TC+ - Husqvarna 266	E128435	200 L 60 L 12x1 L
Eurol Super 2T Formax Fully Synthetic - Low Smoke JASO FD - ISO-L-EGD - API TC+ Piaggio Hexagon - TISI - Husqvarna 266/Chainsaw	E128433	200 L 60 L 12x1 L
Eurol TTX ProScoot Semi-Synthetic - Low Smoke for pre-mix in oil-injection systems, 2-stroke engines (50 cc) JASO FC - ISO-L-EGC - API TC	E128428	200 L 60 L 12x1 L
Eurol Supreme Synthetic Semi-Synthetic - Low Smoke for pre-mix in oil-injection systems. JASO FC - ISO-L-EGD - API TC+ Piaggio SI - TISI	E128425	200 L 60 L 4x5 L 12x1 L
Eurol Spartamet TTX		24x50 ml
Racing oil 2T	Art. no.	Package
Performance level Eurol SR 2000 Road Racing Fully Synthetic - SAE 50 - Racing oil API TC+ - ROC/Yamaha - not for 2 stroke injection. For tuned racing motorcycles and karts.	E128906	6x1 L
Eurol RTC Motocross oil Semi-Synthetic - SAE 50 - Racing oil API TC+ - not for 2-stroke injection - for tuned 2-stroke cross motorcycles.	E128900	6x1 L
Eurol Racing RX Semi-Synthetic - Ester based - Racing oil for speedway engines, scale model planes, karts and 2 and 4-stroke race engines.	E128908	6x1 L
Eurol Racing 1 Ricinus Vegetable - Racing oil for speedway engines, scale model planes, karts and 2 and 4-stroke race engines.	E128910	6x1 L
Eurol SX Two-stroke oil for small air- and water-cooled 2-stroke engines (upto 50 cc) with/without injection-systems. JASO FB; ISO-L-EGB;	E128400	200 L 60 L 12x1 L



Quality is in our nature



Eurol Nautic Line Outboard		Art. no.	Package
Performance level			
Eurol Nautic Line FCW 10W30 Outboard NMMA FCW specification for Outboard engine - 4 stroke		E100145	200 L 60 L 4x5 L 6 x 1 L
Eurol Nautic Line FCW 10W40 Outboard NMMA FCW specification for Outboard engine - 4 stroke		E100144	200 L 60 L 4x5 L 6 x 1 L
Eurol Nautic Line Super 2T Outboard TCW-III NMMA TCW-III specification for Outboard engine - 2 stroke		E128430	200 L 60 L 4x5 L 12 x 1 L
Eurol Nautic Line Super 2T Outboard Bio NMMA TCW-III specification for Outboard engine - 2 stroke		E100151	200 L 60 L 4x5 L 6 x 1 L
Eurol Nautic Line Motor oil		Art. no.	Package
Performance level			
Eurol Nautic Line SHX 15W40 Motoroil diesel/benzine - API SL-CI-4 - ACEA E5/E7		E100143	200 L 60 L 4x5 L 6 x 1 L
Eurol Nautic Monograde ST 30 Single grade motoroil - API SG-CF4-CF2 - ACEA E2		E100142	200 L 60 L 4x5 L
Eurol Nautic Monograde S 30 Single grade motoroil - API SF-CD		E100141	200 L 60 L 4x5 L 6 x 1 L



Quality is in our nature



Eurol Nautic Line Transmission oil	Art. no.	Package
------------------------------------	----------	---------

Performance level

Eurol Nautic Line Gear oil 80W90 oil for transmissions and tail pieces - GL 5	E100146	6 x 1 L
--	---------	---------

Eurol Nautic Line ATF II D oil for reverse clutches - transmission - hydraulics	E100147	4x5 L 6 x 1 L
--	---------	------------------

Eurol Nautic Line Hydraulic oil	Art. no.	Package
---------------------------------	----------	---------

Performance level

Eurol Nautic Line Hydraulic oil 15 Hydraulische oil HVI for steering - VHLP	E100150	200 L 60 L 4x5 L
--	---------	------------------------

Eurol Nautic Line Hydraulic oil 22 Hydraulische oil HVI for steering - VHLP	E100149	200 L 60 L 4x5 L
--	---------	------------------------

Eurol Nautic Line Hydraulic oil 32 Hydraulische oil HVI for hydraulisch systeem - VHLP	E100148	200 L 60 L 4x5 L 6 x 1 L
---	---------	-----------------------------------

Eurol Nautic Line Winter	Art. no.	Package
--------------------------	----------	---------

Performance level

Eurol Nautic Line Frost Protector Drinkwater Antifreeze - Non Toxic - protection up to -26 degrees Mono Propyleen Glycol	E504129	200 L 60 L 4x5 L
--	---------	------------------------



Quality is in our nature



Synthetic Transmission oil	Art. no.	Package
Performance level Eurol Fultrax 75W-140 LS Fully Synthetic - Limited Slip Differential API: GL5; Scania STO 1:0, ZF-TE-ML 05D, 12D, 16G, "LSD"	E110077	200 L 60 L 20 L 6 x 1 L
Eurol Fultrasyn 75W-90 GL 3/4/5 Fully Synthetic - Total Drive Line API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF ZF-TE-ML 01/02B/05B/07A/08A/012/16F/17B; MB 235.11	E110076	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Transyn 75W-90 GL 4/5 Semi-Synthetic - Total Drive Line API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF ZF TE-ML 02 ZF-TE-ML 01/02B/05B/07A/08A	E110075	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Transfluid STF Semi-Synthetic - Automatic - Manual transmission Problematic manual transmissions and electronically controlled automatic transmissions. API GL4, Caterpillar TO-2	E113667	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
Transmission oil GL 5	Art. no.	Package
Performance level Eurol HPG 80W90 TDL GL3/4/5 API: GL3/4/5; MT 1; MAN 341/342/3341 - ZF-TE-ML 01/02/05/07/08 MIL-L-2105 B/C/D/E - MIL-PRF 2105E; VOLVO 97310 - SCANIA STO 1:0 and 2:0	E110627	200 L 60 L 20 L 4x5 L
Eurol HPG SAE 80W-90 GL5 API GL-5 - MIL-L-2105D - Mack GO-G ZF TE-ML 05A,12A - MAN 342N - MAN 342 typ M-1	E110630	200 L 60 L 20 L 4x5 L 12x1 L
Eurol HPG SAE 85W-90 GL5 API GL-5 - MIL-L-2105D - MB 235.0 -Volvo 97310 RVI 03-80-4003 - MAN 342N-342 typ M-1 - ZF TE-ML 05A, 07A, 08,16F, 17B	E110635	200 L 60 L 20 L 4x5 L
Eurol HPG SAE 85W-90 GL5 LSD API GL-5 - MIL-L-2105D - ZF TE-ML 05C, 12C, 16E	E110636	200 L 60 L 20 L 4x5 L



Quality is in our nature



EuroI HPG EP SAE 85W-140 GL5 API GL-5 - MIL-L-2105D - Mack GO-G - ZF TE-ML 05A,12A MAN 342N - MAN 342 typ M-1	E110640	200 L 60 L 20 L 4x5 L
EuroI HPG EP SAE 85W-140 GL5 LSD API GL-5 - MIL-L-2105D - ZF TE-ML 05C, 12C, 16E		60 L 20 L 4x5 L
EuroI HPG 75W-80 GL5 CP API GL 5 - MIL-L-2105D - PSA B71 2330 - Citroën, Peugeot, Renault, Volvo.	E110072	200 L 60 L 20 L 4x5 L 12x1 L
Transmission oil GL 4 <small>Performance level</small>	Art. no.	Package
EuroI HPX 75W-80 GL-4 Semi-Synthetic - Transmission and final drive API: GL-4; DAF; Volvo 97307; MB 235.4; ZF-TE-ML 02D MAN 341 TL / Z-3; RENAULT; EATON LD	E110074	200 L 60 L 20 L 4x5 L
EuroI MPG SAE 80W GL4 API: GL-4 - MIL-L-2105 - MB 235.1 - MAN 341N / Z-1	E110590	200 L 60 L 20 L 4x5 L
EuroI MPG SAE 80W-90 GL4 API: GL-4 - MIL-L-2105	E110605	200 L 60 L 20 L 4x5 L 4x4 L 12x1 L
EuroI MPG SAE 85W-90 GL4 API: GL-4 - MIL-L-2105	E110600	200 L 60 L 20 L 4x5 L
EuroI MPG SAE 85W-140 GL4 API: GL-4 - MIL-L-2105	E110610	200 L 60 L 20 L 4x5 L 4x4 L
EuroI Eurolube SAE 80W GL1 NON EP	E110500	60 L 6x1 L



Quality is in our nature



Fully Synthetic ATF	Art. no.	Package
Performance level Euro1 ATF 1100 Fully Synthetic - Japanese and American cars - multi vehicle Dexron II-III; Mercon, Mercon V; Toyota T-III; T-IV; ISUZU; HONDA Z1; MB 236.1...236.9; NISSAN MATIC D, J and K - SAAB 93 165 147; Hyundai/Mitsubishi SP, SP-II/SP-III	E113661	200 L 60 L 20 L 12x1 L
Euro1 ATF 4100 Fully Synthetic - Chrysler and Jeep ATF +3 / +4 - MS-7176 and MS-9602	E113655	200 L 60 L 20 L 12x1 L
Euro1 ATF 6100 Fully Synthetic - General Motors DEXRON VI - DEXRON III - DEXRON IIE	E113657	200 L 60 L 20 L 6x1 L
Euro1 ATF 7100 Fully Synthetic - Mercedes Benz MB 236.14 - 236.10 & 236.12 (except 4Matic systems)	E113658	200 L 60 L 20 L 6x1 L
Euro1 DCF 1402 Fully Synthetic - VAG Group DSG transmissions VW TL 521 82	E113669	200 L 60 L 20 L 12x1 L
Euro1 ATF III H Fully Synthetic - General Motors and Ford after 2004 Ford Mercon V; Dexron III H; Allison C-4 - MB 236.2; Caterpillar TO-2 ZF-TE-ML 11/14	E113666	200 L 60 L 20 L 6 x 1 L
Semi-synthetic/Mineral ATF	Art. no.	Package
Performance level Euro1 CVT 1206 Semi-Synthetic - continuously variable transmission oil Special synthetic CVT-fluid - Nissan NS-1/NS-2 CVT-fluid NOT FOR HONDA	E113664	200 L 60 L 20 L 6x1 L
Euro1 CVT 1304 Fully-Synthetic - continuously variable transmission oil Special synthetic CVT-fluid - VW TL 521 80; JATCO CVT; NSK belt CVT; Nissan NS-2; BMW CVT EZL 799 A NOT FOR CVT UNITS FROM TOYOTA OR FORD	E113663	200 L 60 L 20 L 6x1 L
Euro1 ATF III G Semi-Synthetic - GM/Daimler/Chrysler GM Dexr III F and G - MB 236.1./236.5/236.9 - MAN 339F / 339 V1 & 339 Z1 Allison C4; Caterpillar TO-2; VOLVO 97335-12 - MERCON M2C 138-CJ, M2C 166-H Voith G607/H55.6335.34; ZF TE ML 03D/04D/09B/11A/14B/17C; RENK Doromat	E113665	200 L 60 L 20 L 4x5 L 12x1 L



Quality is in our nature



Eurol ATF III F	E113659	200 L
Mineral - Ford/GM		60 L
Mercon; GM Dexron III F; MB 236.1/236.5/236.9; Allison C4; CAT TO-2		20 L
ZF-TE-ML 11/14 ; MAN 339F-V1-Z1; Voith G 607/ H55.6335.34		4x5 L
MERCON M2C 138-CJ, M2C 166-H		12x1 L

Eurol ATF II D	E113650	200 L
Mineral - Ford/GM		60 L
Mercon; GM Dexron IID; MB 236.1-5-7-9 - DENISON HF-0		20 L
Allison C4; CAT TO-2; ZF-TE-ML 09/11/14 ; MAN 339F-V1-Z1		4x5 L
Voith G 607/ H55.6335.34; MERCON M2C 138-CJ, M2C 166-H		4x4 L
		12x1 L

Eurol ATF 33 F/G	E113660	200 L
Mineral - Ford, Mazda, Toyota, Volvo and Saab		60 L
Ford M2C-33-F/G		20 L
		12x1 L

Powersteering	Art. no.	Package
----------------------	----------	---------

Performance level		
Eurol Powersteering fluid A	E113680	200 L
Mineral - Type A suffix A		60 L
GM Powersteering Fluid A (Suffix A) - MB 236.2 - Allison C-3		6x1 L
John Deere JDM J21A - Renk Doromat - MAN 339 type A		

Eurol Powersteering fluid D	E113685	200 L
Mineral - Type D		60 L
GM Dexron II D - MB 236.2 - Allison C-3		6x1 L

Eurol Powersteering fluid C	E113675	200 L
Semi-Synthetic - VW		60 L
DIN 51524 part 2; ISO 7308 - BMW 81 22 9 407 758 - Deutz 2940929 - MAN 3289		6x1 L
Audi/VW: VW TL 521 46 -Peugeot B 71 2710- Nissan -Fendt X902.011.622		
Rolls Royce - Saab -Volvo STD 1273.36 - MB 345.0 - Opel B 040 0070		

Radiatorsealer	Art. no.	Package
-----------------------	----------	---------

Performance level		
Eurol Radiatorsealer	E401701	24x250 ml
Prevents and seals holes in the radiator up to max 0,9 mm		



Quality is in our nature



Chainsawoil	Art. no.	Package
Performance level		
Eurol Chainsaw oil Bio - Anti-fling	E125470	200 L
100% Bio-degradable - Approval 'Blauwe Engel'		60 L
Tacky, viscous lubricant for lubrication chainsaw		4x5 L
		6x1 L
Eurol Chainsaw oil AK - Anti-fling	E125450	200 L
Mineral Chainsawoil for effective lubrication of bars and chains		60 L
in both engine driven as well as electrical chainsaws.		20 L
		4x5 L
		12x1 L
Foodgrade oil H1	Art. no.	Package
Performance level		
Eurol Hykrol FG ISO-VG 32	E902695	200 L
occasional constroke with food allowed		60 L
		20 L
Eurol Hykrol FG ISO-VG 46	E902697	200 L
occasional constroke with food allowed		60 L
		20 L
Eurol Multisept FG ISO-VG 150	E902570	200 L
occasional constroke with food allowed		60 L
		20 L
Eurol Multisept FG ISO-VG 220	E902571	200 L
occasional constroke with food allowed		60 L
		20 L
Eurol Foodgrease Complex NLGI 2	E902105	20 kg
occasional constroke with food allowed		6x600 g
		12x400 g
Bio Hydraulic oil	Art. no.	Package
Performance level		
Eurol Hykrol BIO Syn ISO-VG 32	E108825	200 L
Fully Synthetic - HEES		60 L
Eurol Hykrol BIO Syn ISO-VG 46	E108825	200 L
Fully Synthetic - HEES		60 L
Eurol Hykrol BIO RO 32/46	E108824	200 L
Vegetable - HETG		60 L
Mannesmann, Rexroth VI=200		4x5 L



Quality is in our nature



Hydraulic oil VHLP	Art. no.	Package
Performance level Eurol Hykrol VHLP ISO-VG 22 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108790	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol VHLP ISO-VG 32 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108800	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol VHLP ISO-VG 46 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108810	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol VHLP ISO-VG 68 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108815	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol SVI 13 HLP DIN 51524 part 3 ; MIL-H-5606A	E108687	200 L 60 L 20 L
Hydraulic Oils HLP	Art. no.	Package
Performance level Eurol Hykrol HLP ISO-VG 10 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 Thyssen TH-N-256132, VDMA: 24318, VI=100	E108685	200 L 60 L 20 L
Performance level Eurol Hykrol HLP ISO-VG 15 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 Thyssen TH-N-256132, VDMA: 24318, VI=100	E108690	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol HLP ISO-VG 22 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=100	E108700	200 L 60 L 20 L 4x5 L
Performance level Eurol Hykrol HLP ISO-VG 32 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=100	E108710	200 L 60 L 20 L 4x5 L



Quality is in our nature



<p>Eurol Hykrol HLP ISO-VG 46 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=100</p>	E108720	200 L 60 L 20 L 4x5 L
<p>Eurol Hykrol HLP ISO-VG 68 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=100</p>	E108730	200 L 60 L 20 L 4x5 L
<p>Eurol Hykrol HLP ISO-VG 100 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=100</p>	E108740	200 L 60 L 20 L 4x5 L
<p>Eurol Hykrol HLP ISO-VG 150 HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12 Thyssen TH-N-256132, VDMA: 24318, VI=100</p>	E108750	200 L 60 L 20 L 4x5 L
<p>Fully Synthetic Gearbox oil</p>		
<p>Performance level</p>	Art. no.	Package
<p>Eurol Syntan EP ISO-VG 150 DIN 51547 part 3; Fully synthetic (polyalkyleenglycol) not mixable with Mineral oil, not for Alu gear wheels</p>	E115127	200 L 60 L 4x5 L
<p>Eurol Syntan EP ISO-VG 220 DIN 51547 part 3; Fully synthetic (polyalkyleenglycol) not mixable with Mineral oil, not for Alu gear wheels</p>	E100132	200 L 60 L
<p>Eurol Syntan EP ISO-VG 460 DIN 51547 part 3; Fully synthetic (polyalkyleenglycol) not mixable with Mineral oil, not for Alu gear wheels</p>	E115140	200 L 60 L
<p>Eurol Synmax PAO EP ISO-VG 150 DIN 51517 part 3; Fully synthetic (polyalphaoleofine) FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94</p>	E115504	200 L 60 L
<p>Eurol Synmax PAO EP ISO-VG 220 DIN 51517 part 3; Fully synthetic (polyalphaoleofine) FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94</p>	E115505	200 L 60 L
<p>Eurol Synmax PAO EP ISO-VG 320 DIN 51517 part 3; Fully synthetic (polyalphaoleofine) FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94</p>	E115506	200 L 60 L
<p>Eurol Synmax PAO EP ISO-VG 460 DIN 51517 part 3; Fully synthetic (polyalphaoleofine) FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94</p>	E115507	200 L 60 L



Quality is in our nature



Gearbox oil	Art. no.	Package
Performance level Eurol Multisept EP ISO-VG 68 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115510	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 100 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115520	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 150 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115530	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 220 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115540	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 320 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115550	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 460 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115551	200 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 680 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG geartest > 12	E115565	200 L 60 L 20 L 4x5 L



Quality is in our nature



Metal working oil	Art. no.	Package
Performance level Eurol Drilling oil A Mineral soluble Metal workingfluid for the not-problematic working of metals of ferro and non-ferro materials	E120460	200 L 60 L 4x5 L
Eurol Syncool EPS Fully synthetic water-soluble cutting- and coolingfluid with good EP properties metal removing - and metal forming operations of ferro and non ferro materials	E120500	200 L 60 L 4x5 L
Eurol Syncool EPM 3000 Semi synthetic water-soluble cutting- and coolingfluid. Free of nitrate- and phenol, For hack saws and circle saws; mixing ratio 1:10/20	E120510	200 L 60 L 4x5 L
Eurol Syncool RC Semi synthetic universal water-soluble cutting- and coolingfluid for turning, drilling and turning of steel, non-ferro, glass and ceramics; mixing ratio. 1:10/45	E120550	200 L 60 L 4x5 L
Eurol Syncool NT Synthetic coolings fluid of the latest generation. Bio-degradable Universal applicable with extreme long sump life. Mixing ratio 1:16	E120505	200 L 60 L 4x5 L
Eurol Syncool EPU Mineral oil based fluid and is an emulsifiable cutting fluid and is suitable for light and heavy machining operations both Ferro and non-Ferro metals. Mixing Ratio depends on Application	E120505	200 L 60 L 4x5 L
Eurol Grindingfluid RS Semi synthetic water-soluble and oil free cooling fluid for steel and cast iron. nitrate- and phenol free. Cast iron 1:40/60 Steel 1:60/80	E120520	200 L 60 L 4x5 L
Eurol Honing oil CHV Chlorine-free honing and grinding fluid for short and long stroke honing operations Is used undiluted, and is safe for machine paints and seal materials.	E120530	200 L 4x5 L
Eurol cuttingoil ST Mineral cuttingoil for suitable for heavy duty machining of high-quality steels. Not suitable for copper(alloys).	E120540	200 L 60 L 4x5 L
Eurol cuttingoil HT Mineral cuttingoil suitable for high quality steels with difficult machinability. Very suitable for threat cutting, milling and deep drawing operations.	E120541	200 L 60 L 4x5 L
Eurol SSH 15 Chlorine-free cuttingfluid based on synthetic hydroxyl compounds with high molecular weight applied undiluted in atomizing equipment for machining copper, steel and aluminium alloys.	E120595	200 L 60 L 4x5 L
Eurol SSP 22 Cuttingfluid based on synthetic polyol ester with extra sulphurised - and phosphorous materials. Applying by spraying/atomizing, as well as in circulating systems. Very suitable for aluminium.	E120600	200 L 60 L 4x5 L



Quality is in our nature



Eurol System Cleaner Mineral oil-free cleaning agent for the cutting fluid reservoirs of metal working machines. Disinfects bacteria and fungi.	E120450	10 kg
Eurol Metal protection For corrosion protection of semi-manufactured - and finished products of working operations.	E120555	60 L 4x5 L
Paraffine oil		
Performance level	Art. no.	Package
Eurol Paraffine AG II High refined mineral oil (saturated paraffinic) of medicinal quality. Used for manufacturing medical-, pharmaceutical- and cosmetically products. ISO-VG 32/46; Colourless, odourless and tasteless fluid	E117494	200 L 60 L
Eurol Paraffine HB High refined mineral oil (saturated paraffinic) of medicinal quality. Used for manufacturing medical-, pharmaceutical- and cosmetically products. ISO-VG 15; Colourless, odourless and tasteless fluid	E117495	200 L 60 L 4x5 L
Heat transfer Oil		
Performance level	Art. no.	Package
Eurotherm B Heat transfer medium for closed systems. Stock point -12°C. Flash point 220 °C, Bulk T 335 °C, Zelfontbr. T 415°C, Film T 335 °C	E124839	200 L 60 L 20 L
Eurotherm N Synth. heat transfer medium for open and closed systems Stolp. -60 °C, Vlamp. 180 °C, Bulk T 300 °C, Zelfontbr.T 330 °C, Film T 340 °C	E124840	200 L 60 L 20 L
Eurotherm ET Synth. Heat transfer medium for open and closed systems	E123837	200 L 60 L
Eurotherm ETX Synth. Heat transfer medium for open and closed systems. Stolpunt -34°C.	E124838	200 L 60 L



Quality is in our nature



Compressor oil	Art. no.	Package
Performance level		
Eurol Full Synth. Compres.oil 32 Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118865	200 L 60 L 20 L
Eurol Full Synth. Compres.oil 46 Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118866	200 L 60 L 20 L
Eurol Full Synth. Compres.oil 68 Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118846	200 L 60 L 20 L
Eurol Telmac 46S Compressorole met demulsifying properties for the lubrication of oil cooled screw-type and vane-cell compressors. DIN 51506, VDL	E118844	200 L 60 L 20 L
Eurol Compressoroil 32 Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118842	200 L 60 L 20 L
Eurol Compressoroil 46 Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118871	200 L 60 L 20 L
Eurol Compressoroil 68 Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118840	200 L 60 L 20 L 4x5 L
Eurol Compressoroil 100 Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118855	200 L 60 L 20 L 4x5 L



Quality is in our nature



Vacuum pump Oil	Art. no.	Package
Performance level		
Eurol Vacuum oil ISO-VG 46 Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122572	200 L 60 L
Eurol Vacuum oil ISO-VG 68 Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122566	200 L 60 L 4x5 L
Eurol Vacuum oil ISO-VG 100 Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122567	200 L 60 L
Eurol Vacuum oil ISO-VG 150 Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122568	200 L 60 L 4x5 L
Eurol Vacuum oil ISO-VG 320 Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2.	E122569	200 L 60 L
Airlube oil	Art. no.	Package
Performance level		
Eurol Rocketlube ISO-VG 10 Synthetic fluid especially developed for pneumatic tools requiring a lubricant with an exceptional low pour point (-52°C)	E119860	200 L 60 L
Eurol Eurax EP ISO-VG 46 For the lubrication of pneumatic tools like air engines, demolition hammers, piling blocks and drilling machines.	E119850	200 L 60 L 4x5 L 12x1 L
Slideway oil	Art. no.	Package
Performance level		
Eurol Slideway oil 32 Cincinnati Milacron P53, prevents 'Stick Slip'	E121486	200 L 60 L 20 L 4x5 L
Eurol Slideway oil 68 High quality oil for the lubrication of slide ways made of plastic or metal. Cincinnati Milacron P47; prevents 'Stick Slip'	E121490	200 L 60 L 20 L 4x5 L
Eurol Slideway oil 220 Cincinnati Milacron P50, prevents 'Stick Slip'	E121492	200 L 60 L 20 L 4x5 L



Quality is in our nature



Gas engine oil	Art. no.	Package
Performance level		
Eurol Aurora 513	E101946	20 L
Low Ash gas engine oil. SAE 40.		
Waukesha Level. Extreme good protection against oxidation and nitration		
Brakefluids	Art. no.	Package
Performance level		
Eurol Brakefluid DOT 3	E801300	200 L
Brake fluid for application in hydraulic disc- or drum brake systems.		60 L
Equilibrium reflux boiling point 245°C, Wet equilibrium reflux boiling point 146°C;		2 x 5 L
SAE J1703 / ISO 4925		12x1 L
		12x500 ml
		12x250 ml
Eurol Brakefluid DOT 4	E801400	200 L
Brake fluid for application in hydraulic disc- or drum brake systems of		60 L
cars, trucks, motorcycles, scooters and other vehicles		2 x 5 L
Wet equilibrium reflux boiling point 167°C;		12x1 L
Equilibrium reflux boiling point 267°C; SAE J1703 / ISO 4925		12x500 ml
		12x250 ml
Eurol Brakefluid DOT 4 LV	E801410	200 L
In cars, trucks, motorcycles, scooters and other vehicles and specially for modern		60 L
cars with ABS systems from 2004. SAE J1703/ISO 4925		12x1 L
Wet equilibrium reflux boiling point 179°C; Equilibrium reflux boiling point 270°C;		
Eurol Brakefluid DOT 5.1	E801500	200 L
Brake fluid for application in hydraulic disc- or drum brake systems of vehicles with		60 L
ABS / ASR. Wet equilibrium reflux boiling point 190°C, SAE J1703 / ISO 4925;		2 x 5 L
Equilibrium reflux boiling point 275°C		12x1 L
		6x250 ml
Eurol Brakefluid DOT 5 Silicone	E801550	200 L
Silicone Brake fluid, for old-timers/go-karts/Harley Davidson		60 L
Equilibrium reflux boiling point > 260°C Wet equilibrium reflux boiling point > 180 °C		6 x 1 L
		12x250 ml
Eurol LHM Plus Fluid Citroën	E108670	200 L
Mineral green fluid for Citroën brake systems, suspensions and powersteering.		60 L
		6 x 1 L
Eurol LDS Fluid	E113673	200 L
Special fluid for Citroën Hydractive 3rd generation Suspension, brake systems		60 L
and powersteering.		6x1 L



Quality is in our nature



Airco Oils	Art. no.	Package
Performance level		
Euroil Airco oil PAG 46	E116001	12x1 L 24x250 ml
Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a, Offers excellent lubricity to the compressor		
Euroil Airco oil PAG 100	E116002	12x1 L 24x250 ml
Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a, Offers excellent lubricity to the compressor		
Euroil Airco oil PAG 150	E116003	24x250 ml
Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a, Offers excellent lubricity to the compressor		
Euroil Airco oil POE 100	E116004	24x250 ml
synthetic polyol esters (POE) formulated for performance in refrigeration and air conditioning compressors using HFC, CFC or HCFC refrigerants		
Grease	Art. no.	Package
Performance level		
Euroil Multi Purpose Grease 2	E901039	180 kg 50 kg 15 kg 12x400 g
Is a lithium thickened lubricating grease, based on mineral oil. NLGI 2 - Temperature range -30/+120°C		
Euroil Multi Purpose Grease 3	E901038	180 kg 50 kg 15kg 12x400 g
Is a lithium thickened lubricating grease, based on mineral oil. NLGI 3 - Temperature range -30/+120°C		
Euroil Lithium Complex EP 2 Plus	E901300	180 kg 50 kg 20 kg 6x600 g 12x400 g
Multi Purpose for application under heavy (shock) loads or vibrations both with low and high temperatures.; NLGI: 2/3 - -30/+150°C		
Euroil Blue Star grease EP 2	E901304	180 kg 50 KG 15 kg 12x400 g
specially for BPW bearings, Multi Purpose for heavy loaded application; NLGI: 2/3 applicable in both wide temperature range and load carrying capacity Blue colour. -30/+150°C		
Euroil PTFE grease Complex EP 2	E901280	20 kg 6x600 g 12x400 g
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity NLGI: 2, -30/+150°C		
Euroil White Lithiumgrease EP 2	E901080	180 kg 6x600 g
Multi Purpose, NLGI: 2 white -25/+130°C		



Quality is in our nature



Eurol Universalgrease Lithium EP 2 Multi Purpose for heavy loading NLGI: 2 -25/+130°C	E901030	180 kg 50 kg 20 kg 6x600 g 12x400 g
Eurol Lithiumgrease EP 3 Multi Purpose NLGI: 3 -25/+130°C	E901040	180 kg 50 kg 20 kg 6x600 g 12x400 g
Eurol Lithiumgrease EP 0 specially developed for trucks and busses which are suited with a central lubrication system. NLGI: 0 -25/+100°C	E901020	180 kg 50 kg 20 kg
Eurol Lithiumgrease EP 00 specially developed for a central lubrication system (of Willy Vogel). NLGI: 00, -35/+100°C	E901010	180 kg 50 kg 20 kg
Eurol Calieurgrease EP 2 Tenacious, lithium calcium grease giving excellent water repelling properties for lubricating points aboard of dredging machines, excavators, telescope cranes, locks and bridges. NLGI: 2, -20/+150°C	E901320	50 kg 20 kg 6x600 g 12x400 g
Eurol Marine Grease EP 2/3 One single Lithium-calcium grease for all lubricating points on board like rudders, pintles, steering quadrants and other bearings and gears. NLGI 2, Temperature range -20/+130	E901160	20 kg 6x600 g 12x400 g
Eurol Propeller Shaft Grease Specially suitable for propeller shafts. NLGI 2, Lithium strengthened with polymers, very water repellent Temperature range -25/+120°C	E901470	180 kg 50 kg 20 kg 12x400 g
Eurol fifth wheel Grease (dish) Waterproof, strongly sticking and is not washed away by sweet or salt water NLGI: 2, Lithium-Calcium, -20/+130°C	E901475	50 kg 20 kg
Eurol Coppergrease Lubrication of sud bolts, threaded ends, manifolds, hub nuts, ovens etc., -30/+1100°C	E901220	18 kg 6x600 g
Eurol Molybdenum Disulfide grease Multi Purpose with MoS ₂ for joint shafts NLGI: 2 -25/+130°C	E901070	180 kg 50 kg 20 kg 6x600 g 12x400 g



Quality is in our nature



Eurol Ceramic Grease	E901123	6x600 g
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives. hub nuts, ovens etc., -20/+1300°C		
Eurol Ball Bearing Grease EP 2	E901210	180 kg 50 kg 20 kg 6x600 g
Multi purpose for roll-, and ball bearings NLGI: 2 - -25/+130°C		
Eurol white vaseline acidfree	E901200	20 kg 6x600 g
Very high refined product of pharmaceutical quality used as a lubricant for packing machines and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry		
Eurol Leathergrease	E901230	120 G
Eurol Leather grease is developed for the maintenance of clothing, shoes, jackets, seats etc. With the pure baseoils and greases it rejects water and dust and has a good absorbtion in the materials		

Undercoatings	Art. no.	Package
Eurol Undercoating L	E201100	200 L 60 L
Airless Spray equipment, Black, corrosion excluding		
Eurol Undercoating Non-Airless	E201120	60 L 12x1 L
Hazy- Spray equipment, Black, corrosion excluding		
Eurol UBC Relacquer black	E201140	12x1 L
Relacquer		
Eurol UBC Relacquer grey	E201130	12x1 L
Relacquer		
Eurol ML injection Coating	E201200	200 L 60 L 4x5 L 12x1 L
Airless- or Hazy - Spray equipment Thin brown fluid, inner corrosion excluding Dunne bruine vloeistof, inwendige coating		
Eurol ML injection Wax	E201201	200 L 60 L 4x5 L 12x1 L
Airless- or Hazy - Spray equipment Thin white fluid, inner corrosion excluding coating		



Quality is in our nature



Air-Filter Fluids Art. no. Package

Eurol Air-filter fluid	E803950	6x1 L
Foamfilters for Cross-, Touring motors, Carts, sports cars, etc.		
Eurol Air-filter cleaner	E803200	60 L
For cleaning of foamfilters		

Aerosols Art. no. Package

Performance level		
Eurol Chain Spray PTFE	E701310	400 ml
Eurol Silicone Protect Spray	E701320	400 ml
Eurol Super Brakecleaner Spray	E701440	400 ml
Eurol PTFE Lube Spray	E701460	400 ml
Eurol Penetrating Oil Spray	E701300	400 ml
Eurol Multi Lube MD 50 Spray	E701325	400 ml
Eurol White grease spray with PTFE	E701420	400 ml
Eurol Vaseline Spray	E701380	400 ml
Eurol Open Gear Spray	E701330	400 ml
Eurol Bike Shine Spray	E701305	400 ml
Eurol Moto leather Spray	E701400	400 ml
Eurol ML injection Spray	E701391	500 ml
Eurol Undercoating Spray	E701475	500 ml
Eurol Ceramic Spray	E701123	400 ml
Eurol Skala05 Lube Spray	E701170	400 ml

Front fork oils Art. no. Package

Eurol M.U. Frontfork Oil 1030	E107095	6x1 L
Eurol Frontfork SAE 5	E107980	6x1 L
Eurol Frontfork SAE 10	E107100	6x1 L
Eurol Frontfork SAE 15	E107010	6x1 L
		24x500 ml
		24x250 ml
Eurol Frontfork SAE 20	E107020	6x1 L

Moped Oils Art. no. Package

Eurol Uni Zündap, Kreidler, Puch, Tomos	E126105	12x350 ml
Eurol Puch Maxi Versn. bakolie	E126120	12x200 ml
Eurol Tomos Olie A3	E126280	12x225 ml
Eurol Honda versn. bakolie	E126110	12x1 L
Eurol Yamaha versn. bakolie	E126121	12x1 L



Quality is in our nature



Bicycle products

	Art. no.	Package
Eurol Derailleuroolie BIO	E127245	12x100 ml
Eurol Gear Oil EP	E126207	12x100 ml
Eurol Kettingolie	E127310	12x100 ml
Eurol Naaimachine Olie	E127220	12x100 ml
Eurol Poetsolie	E127221	12x100 ml
Eurol Rijwielolie	E127250	12x100 ml
Eurol Rijwielolie BIO	E127255	12x100 ml
Eurol Siliconenolie	E127390	12x100 ml
Eurol Draadsnijolie	E120360	12x100 ml
Eurol Kettingreiniger	E126250	10x500 ml
Eurol Handy Olie	E127210	12x100 ml
Eurol Kruipolie	E127710	12x100 ml

Battery and Diesel Fluids

	Art. no.	Package
Eurol Battery acid 37,5 %, SG = 1,28	E301300	10 L 4x1 L
Eurol demineralised water	E301190	20 L 4x5 L 12x1 L
Eurol Diesel Test Fluid Calibration fluid for fuelpumps and injectors of diesel engines. ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480	200 L 60 L 20 L

Handcleaner

	Art. no.	Package
Eurol Handcleaner Whitestar (NEW FORMULA) Fresh handcleaner with lemon fragrance, without solvents > 90% Bio-degradable	E601440	60 L 4,5 L 12x600 ml
Eurol Handcleaner Yellowstar Fresh handcleaner with Terpenes > 90% Bio-degradable	E601430	60 L 4,5 L 12x600 ml
Eurol Handcleaner Redstar Cleaning of very dirty hands. Garage soap with effective granule.	E601410	60 L 4,5 L 12x600 ml
Eurol Hand protect lotion To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil	E601450	250 ml
Eurol Handwipes 80 wipes per box . Based on Aloë Vera and Vitamine E	E601460	Box



Quality is in our nature



Dispersers for handcleaner	Art. no.	Package
Eurol Wall bracket for 4,5 L PET	E400770	Piece
Eurol Dispenser for 4,5 L PET	E400771	Piece
Degreasers	Art. no.	Package
Eurol Degreaser Plus HF Red, alifatical cleaning fluid Heavy working degreaser	E302110	200 L 60 L 2x5 L
Eurol Degreaser Bio HF With biodegradable emulsifier Heavy working degreaser	E302140	200 L 60 L 2x5 L
Eurol Degreaser Protect HF Red, alifatical cleaning fluid corrosion- and skin protecting	E302120	200 L 60 L
Cleaning fluids	Art. no.	Package
Eurol Power Cleaner Bio 2000 Strongly concentrated cleaner, Bio-degradable Mixing ratio possible upto 1:25	E602180	20 L 4x5 L 6x1 L
Eurol Shampoo Wash & Shine Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use	E602100	20 L 4x5 L 500 ML
Eurol Car & Truck cleaner Blank, Shampoo for high-pressure cleaner	E602181	20 L
Eurol Floor cleaner Fast and suitable cleaning of floors, 1:10 upto 1:50	E602190	20 L
Eurol Insect remover Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5 upto 1:25	E602220	4x5 L 0,5L trigger
Eurol Brakecleaner special Fast cleaning of brake disc and drum brake	E302520	60 L 20 L 2x5 L
Eurol Josol Cleaner cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25	E602160	10 L
Eurol Rim cleaner Heavy Aluminium cleaner	E602210	20 L 4x5 L 0,5L trigger



Quality is in our nature



Eurol Cleaning spirit 100/140	E303100	200 L
Day Price/Euro		60 L
		5 L

Absorption grain	Art. no.	Package
------------------	----------	---------

Eurol Super Floor absorbent	E401310	10 kg
-----------------------------	---------	-------

Various Products	Art. no.	Package
------------------	----------	---------

Barrel oil pump metal	E400318	Piece
-----------------------	---------	-------

Barrel pump Plastic (Viton)	E400333	Piece
-----------------------------	---------	-------

Grease dispenser	E400344	Piece
------------------	---------	-------

PVC drumtap 3/4" connection	E400400	Piece
-----------------------------	---------	-------

Sette drumtap 3/4" connection	E400420	Piece
-------------------------------	---------	-------

Eurol captap 51mm 10/5	E400166	Piece
------------------------	---------	-------

Eurol captap 61mm 30/25/20	E400165	Piece
----------------------------	---------	-------



Quality is in our nature



Cooling Fluids	Art. no.	Package
Eurol Coolant -26° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Coolant -36° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Coolant GLX -26° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145	200 L 60 L 20 L
Eurol Coolant GLX -36° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Coolant XL Yellow -36° C miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Coolant GLX PP -36° C TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148	200 L 60 L 20 L 4x5 L 12x1 L



Quality is in our nature



Antifreeze	Art. no.	Package
Eurol Antifreeze Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate 1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Antifreeze GLX complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+) MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E503152	200 L 60 L 20 L 4x5 L 12x1 L
Eurol Diesel Flow Improver Lowers the Freezing point of Diesel fuel with 1:1000 10°C extra protection	E802485	200 L 60 L
Eurol Brake Defroster Iso-propylalcohol	E502610	60 L 20 L 4x5 L
Screenwash	Art. no.	Package
Eurol Screenwash Lemon Safe for polycarbonate, with fresh lemon fragrance	E502260	200 L 60 L 20 L 4x5 L 12x1 L 24x500 ml 24x250 ml
Eurol Very Active De-Icer Windshield de-icer spray	E502520	12x500 ml
Eurol RSA Lemon Ready for use Safe for polycarbonate, with fresh lemon fragrance, protects to -24° C	E502265	200 L 60 L 20 L 4x5 L 6x2 L
Eurol Summerwash Ready to Use Pink Summerwash	E501270	4x5 L 6x2 L
Eurol Summerwash Concentrate Pink Summerwash for 2.5 L screenwash	E501268	24x250ml

